

## Heart Transplant

Patient Treatment Record

Medical Record No:	
Name:	
* * * *	
Address:	
Phone No:	
Filotie No.	
Birth Date:	
Type of Transplant:	
- Type or Hampiana	
D	
Date of Transplant:	
Important Information:	
· ·	
Next of Kin:	
* * * *	
Address:	
Phone No:	
I HOHE INC.	

#### index

Section	0	Check First - Other Medications	page 2
Section	2	Current Medications	page 4
Section	8	Reducing Prednisolone (Steroid) Chart	page 12
Section	4	Your Medications Explained	page 16
Section	6	Results Monitoring	page 20
Section	6	Notes	page 26
Section	7	Phone Directory	page 33

Proudly supported by



# Please check with your St Vincent's doctor if considering treatment with any of the following:

Anticoagulants	warfarin
Androgenic steroids	danazol
Anti-convulsants	oxcarbazepine, carbamazepine, phenytoin, phenobarbitone, primidone
Antibiotics	erythromycin, clarithromycin, gentamicin, tobramycin, amikacin, rifabutin, rifampicin, imipenem, norfloxacin, vancomycin
Antifungals	voriconazole, posaconazole, ketoconazole, itraconazole, fluconazole, amphotericin
Beta blockers	carvedilol
Calcium channel blockers	diltiazem, nifedipine, verapamil, lercanidipine
ACE inhibitors	captopril
Antidepressants	fluvoxamine, fluoxetine
Diuretics	frusemide, spironolactone, amiloride
Anti-reflux	cimetidine, lansoprazole, pantoprazole, omeprazole
Lipid lowering	cholestyramine, simvastatin, atorvastatin, rosuvastatin
AVOID all anti-inflammatories NSAIDs	diclofenac, indomethacin, ibuprofen
Anti-gout	allopurinol, colchicine
Supplements	potassium compounds
Weight loss agents	orlistat
Other	ursodeoxycholic acid

#### Telephone Medication Changes

DATE	MEDICATION CHANGE	ADVISED BY

Updated By:		
Date:		

	,			
Generic Name	Common			
and Strength	Brands	Dose	Morning	
	<u> </u>			

Medication Times			0
Lunch	Evening	Bedtime	Comments

Updated By:	_
Date:	

	,			
Generic Name	Common			
and Strength	Brands	Dose	Morning	
	<u> </u>			

Medication Times			Carramanta
Lunch	Evening	Bedtime	Comments

Updated By:		
Date:		

Generic Name	Common Brands			
and Strength		Dose	Morning	

Medication T	Carramanta		
Lunch	Evening	Bedtime	Comments

Updated By:		
Date:		

Generic Name	Common			
and Strength	Brands	Dose	Morning	

Medication T	Carramanta		
Lunch	Evening	Bedtime	Comments

# Reducing Prednisolone (Steroid) Chart

#### **Date Commenced:**\_

Date Commenced	Morning Dose (mg)	Taken	Evening Dose (mg)	Taken	
Comments:					

# Reducing Insulin Blood Glucose Monitoring & Insulin Dose Chart

	INSULIN INJECTIONS			MON	ITORIN	G BLOC	D GLU	COSE		
Date	Insulin		UNITS	GIVEN		Before	Before	Before	Before	Over-
Date	Type	B'fast	Lunch	Dinner	Bed	B'fast	Lunch	Dinner	Bed	night
Comr	Comments:									

## Reducing Prednisolone (Steroid) Chart

#### **Date Commenced:**

Date	Morning Dose (mg)	Taken	Evening Dose (mg)	Taken
Comments:				

# Reducing Insulin Blood Glucose Monitoring & Insulin Dose Chart

	INSULIN INJECTIONS			MON	ITORIN	G BLOC	D GLU	COSE		
D-t-	Insulin			Before	Before	Before	Before	Over-		
Date	Type	B'fast	Lunch	Dinner	Bed	B'fast	Lunch	Dinner	Bed	night
Comn	Comments:									

Chemical Name	Brand Name	What For
<b>Tacrolimus</b> 5 mg 1 mg 0.5mg	PROGRAF	Prevent Rejection
<b>Mycophenolate</b> Mofetil 500 mg 250 mg	SANDOZ	Prevent Rejection
Prednisolone 25 mg 5 mg 1 mg	PANAFCORTELONE SOLONE	Prevent Rejection
Sulfamethoxazole 800 mg & Trimethoprim 160 mg	BACTRIM DS SEPTRIN FORTE RESPRIM FORTE	Prevent chest infection (PJP)
Pravastatin	PRAVACHOL CHOLVASTIN APO-PRAVASTATIN	Prevent Rejection Control cholesterol & prevent coronary artery disease/ protect heart

How Long	Comments
Life	<ul> <li>from St. Vincents</li> <li>keep in foil</li> <li>take 12 hours apart, consistently in relation to food</li> <li>AVOID grapefruit &amp; tangelo</li> </ul>
Life	<ul> <li>from St. Vincents</li> <li>keep in foil</li> <li>take 12 hours apart</li> <li>do not halve or break tablets</li> <li>separate from magnesium &amp; antacids by 2 hours</li> </ul>
Variable	- take with/after food
Life	- take only on Mondays and Fridays - take with/after food
Life	<ul> <li>take at night</li> <li>report any unexpected muscle pain, tenderness or weakness to doctor</li> </ul>

Chemical Name	Brand Name	What For
Ranitidine	ULCAID ZANTAC RANI 2	Protect stomach and prevent reflux
Nystatin	NILSTAT MYCOSTATIN	Prevent mouth infection (thrush)
Calcium Citrate	CITRACAL	Protect bones & prevent osteoporosis
Cholecalciferol	OSTELIN VITA-D	Protect bones & prevent osteoporosis
<b>Valganciclovir</b> 450 mg	VALCYTE	Antiviral: to prevent CMV infection

How Long	Comments
Life	- take 2 hours AFTER Itraconazole
Short- term	- swish around mouth for 1-2 minutes before swallowing - use after meals & before bed
Life	- buy from local pharmacy
Life	- buy from local pharmacy
CMV mismatch: 3 months	- Only YOU to touch - from St. Vincent's - keep in bottle - take with/after food - do NOT halve/break tablets

#### Heart Biopsy Results

DATE	RESULT	TREATMENT		

## Transplant Related Infections

DATE	INFECTION	TREATMENT		

WEIGHT	BLOOD PRESSURE	PULSE	TEMPERATURE

DATE	WEIGHT	BLOOD PRESSURE	PULSE	TEMPERATURE

DATE	WEIGHT	BLOOD PRESSURE	PULSE	TEMPERATURE

DATE	WEIGHT	BLOOD PRESSURE	PULSE	TEMPERATURE

#### Notes

# Notes Section ©

#### Notes

# Notes ©

#### Notes

# Notes ©

#### Notes

### Phone Directory

### In an Emergency Dial 000 to call an ambulance

#### Clinic Hours Monday - Friday 8am-4pm

#### **Heart Lung Transplant Unit**

Appointments 02 8382 3150 Nursing Staff 02 8382 3158

Clinical Nurse Consultant 02 8382 1111 (ask to have paged)

**Prescriptions** 02 8382 3152

Fax 02 8382 2505

Lung Function 02 8382 2353

Fax 02 8382 2944

Echocardiology 02 8382 2422

Outpatient Pharmacy 02 8382 2594

#### **Outside Clinic Hours - 24 hours**

Transplant Co-ordinator - for nursing and home IV therapy questions **Phone** 02 8382 1111

Ask operator to put you through to the Transplant Coordinator.

Proudly supported by

